Journal of Immunological Methods, 147 (1992) 275–276

© 1992 Elsevier Science Publishers B.V. All rights reserved 0022-1759/92/$05.00

Contents to volume 147 (1992)

Number 1 – 14 February 1992

Research reports

Use of recombinant fusion proteins for generation and rapid characterization of monoclonal antibodies. Application to the Kunitz domain of human β amyloid precursor protein
D. Wunderlich, A. Lee, R.P. Fracasso, D.V. Mierz, R.M. Bayney and T.V. Ramabhadran (USA) 1

An improved europium release assay for complement-mediated cytolysis
J. Cui and J.-C. Bystryn (USA) 13

A simple and sensitive method for the determination of blood group antigens in secretions
S. Yazawa and H. Ohkawara (Japan) 21

Immunophenotyping of lymphocyte subsets in bronchoalveolar lavage fluid. Comparison of flow cytometric and immunocytochemical techniques
C.S. Padovan, J. Behr, A.-M. Allmeling, J.T. Gerlach, C. Vogelmeier and F.P. Krombach (Germany) 27

The development of an enzyme-linked immunosorbent assay (ELISA) for cephalexin
E.H. Kachab, W.-Y. Wu and C.B. Chapman (Australia) 33

Methods for phenotyping polarized and locomotor human lymphocytes
I. Newman and P.C. Wilkinson (UK) 43

Determination of interleukin-2 in cerebrospinal fluid by a sensitive enzyme-linked immunosorbent assay
M.K. Sharief, R. Hentges and E.J. Thompson (UK, Belgium) 51

A rapid method for separating tumour infiltrating cells and tumour cells from colorectal tumours
L.G. Durrant (UK) 57

Advantages of branched peptides in serodiagnosis. Detection of HIV-specific antibodies and the use of glycine spacers to increase sensitivity
H.S. Marsden, A.M. Owsianka, S. Graham, G.W. McLean, C.A. Robertson and J.H. Subak-Sharpe (UK) 65

Species differentiation of mycoplasmas by EF-Tu specific monoclonal antibodies
V. Kamla, B. Henrich and U. Hadding (Germany) 73

A rapid limiting dilution assay for measuring frequencies of alloreactive, interleukin-2-producing T cells in humans
S. Deacock, A. Schwarer, R. Batchelor, J. Goldman and R. Lechler (UK) 83

Anti-type II collagen ELISA. Increased disease specificity following removal of anionic contaminants from salt-fractionated type II collagen
R.O. Williams, D.G. Williams and R.N. Maini (UK) 93

Determination of anti-neutrophil cytoplasm antibodies (ANCA) specificity by immunofluorescence on chronic myelocytic leukemia cells
A. Chevailler, L.H. Noel, G. Renier, M. Gardembas-Pain, J.F. Subra, P. Nusbaum, D. Hurez and P. Lesavre (France) 101

Generation of species-specific, rat monoclonal antibodies that bind to the κ chain of mouse immunoglobulin
G.L. Reed (USA) 111

Establishment of an enzyme release assay for cytotoxic T lymphocyte activity
H. Ohmori, T. Takai, T. Tanigawa and Y. Honma (Japan) 119

Caveats for the use of surface-adsorbed protein antigen to test the specificity of antibodies
C. Schwab and H.R. Bosshard (Switzerland) 125

Short communication

A rapid staining procedure for two-color analysis of lymphocyte antigen expression
K. Pechhold and D. Kabelitz (Germany) 135

Letter to the editors

The response of the IL-6-dependent cell line, B9, to IL-6 is not augmented by recombinant derived purified IL-2
P.J. Morrissey, T. Sato and S. Braddy (USA) 141

Notes to authors 145

Number 2 – 4 March 1992

Immunological standardization

World Health Organisation Collaborative Study for the International Standardisation of Interleukin-3 and Interleukin-4. Call for Participants
National Institute for Biological Standards and Control (UK) 147

Nomenclature for secreted regulatory proteins of the immune system (interleukins)
WHO-IUIS Nomenclature Subcommittee on Interleukin Designation 149

Research reports

Improved short- and long-term XTT-based colorimetric cellular cytotoxicity assay for melanoma and other tumor cells
L.M. Jost, J.M. Kirkwood and T.L. Whiteside (USA) 153

Direct microtitre plate enzyme immunoassay of testosterone in unextracted serum
T.K. Dhar and E. Ali (India) 167

Sandwich immunoassay of small molecules. I. Investigation with testosterone as model hapten
E. Ali, J. Sengupta and T.K. Dhar (India) 173

Sandwich immunoassay of small molecules. II. Effects of heterology and development of a highly sensitive and specific enzyme immunoassay for testosterone
J. Sengupta, T.K. Dhar and E. Ali (India) 181

Enhancement of lymphocyte proliferation assays by use of serum-free medium
E.P. Kaldjian, G.-H. Chen and K.B. Cease (USA) 189

Separation of tumor cells from a suspension of dissociated human colorectal carcinoma tissue by means of monoclonal antibody-coated magnetic beads
W. Kemmner, G. Moldenhauer, P. Schlag and R. Brossmer (Germany) 197

Monoclonal antibody binding to peptide epitopes conjugated to synthetic branched chain polypeptide carriers. Influence of the carrier upon antibody recognition
F. Hudecz and M.R. Price (Hungary, UK) 201

The imprecision profile in immunoassay. A study using a resampling technique
A. Chiecchio, F. Giglioli, R. Malvano, R. Ringhini, P. Manzone and A. Bo (Italy) 211

Enzyme-linked immunosorbent assay for the detection of cathepsin-kininogen complexes in human plasma
A. Takeda, Y. Nakamura and Y. Aoki (Japan) 217

Identification of DNA-replicating lymphocyte subsets using a new method to label the bromo-deoxyuridine incorporated into the DNA
P. Carayon and A. Bord (France) 225

Post-formation fluorescent labelling of liposomal membranes. In vivo detection, localisation and kinetics
E. Claassen (Netherlands) 231

ELISA of complement C3a in bronchoalveolar lavage fluid
E.A. Van de Graaf, H.M. Jansen, M.M. Bakker, C. Alberts, J.-K.M. Eeftinck Schattenkerk and T.A. Out (Netherlands) 241

Quantitative Western blot analysis and spot immunodetection using time-resolved fluorometry
E.P. Diamandis, T.K. Christopoulos and C.C. Bean (Canada) 251

A novel solid-phase test to study the binding of IFN-γ to its receptor
L. Ozmen, M. Fountoulakis and G. Garotta (Switzerland) 261

Book reviews 271

Contents to volume 147 (1992) 275

Notes to authors 277